

L Number	Hits	Search Text	DB	Time stamp
-	1	internet adj protocol adj address adj resolution adj protocol	USPAT	2003/05/15 09:08
-	2	("5751574" "5963540").pn.	USPAT	2002/12/11 12:31
-	4	("19533961" "0763953" "1624299" "1055304" "9933214").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/11 12:34
-	136	(non-fault-tolerant (non-fault adj tolerant) (non adj fault adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/11 12:36
-	5919	(non-fault-tolerant (non-fault adj tolerant) (non adj fault adj tolerant) (fault adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/11 12:38
-	117	((non-fault-tolerant (non-fault adj tolerant) (non adj fault adj tolerant) (fault adj tolerant))) and (non-fault-tolerant (non-fault adj tolerant) (non adj fault adj tolerant))	USPAT	2002/12/11 13:55
-	101	((non-fault-tolerant (non-fault adj tolerant) (non adj fault adj tolerant) (fault adj tolerant))) and (non-fault-tolerant (non-fault adj tolerant) (non adj fault adj tolerant))) and (address\$2 mac)	USPAT	2002/12/11 13:56
-	61	(fault-tolerant (fault adj tolerant)) and (ARP IPARP IP-ARP (address\$2 adj resolution adj protocol))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 09:41
-	59	((fault-tolerant (fault adj tolerant)) and (ARP IPARP IP-ARP (address\$2 adj resolution adj protocol))) and single	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 10:26
-	15941	((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 10:57
-	12742	((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 10:56
-	256	((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 10:57
		) and (IPARP ARP IP-ARP (IP adj ARP))		

-	31	<p>(((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant)))</p> <p>) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2))</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 16:21
-	225	<p>(((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant)))</p> <p>) and (IPARP ARP IP-ARP (IP adj ARP))) not</p> <p>(((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant)))</p> <p>) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2))</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 16:25
-	15	<p>(((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant)))</p> <p>) and (IPARP ARP IP-ARP (IP adj ARP))) not</p> <p>(((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant)))</p> <p>) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2))) and (fault-tolerant (fault adj tolerant)))</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/12 16:27

-	42	((((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/13 11:49
-	23	<p>) and (IPARP ARP IP-ARP (IP adj ARP))) not  ((((((check\$4 detect\$4 determin\$6) near5 (node\$2 computer\$2)) and ((stor\$4 put\$5 detect\$4 determin\$6 check\$4) near5 (address\$2 (network adj address\$2)))) and (problem\$2 recover\$3 failure fail\$4 (error\$2 adj tolerant))</p> <p>) and (IPARP ARP IP-ARP (IP adj ARP))) and (single adj network\$2))) and (fault-tolerant (fault adj tolerant) primary and redundant)</p> <p>(primary adj network\$2) and (redundant adj network\$2)</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/13 12:20
-	165	(primary adj network\$2) and ((secondary redundant) adj network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/13 12:21
-	142	((primary adj network\$2) and ((secondary redundant) adj network\$2)) not ((primary adj network\$2) and (redundant adj network\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/13 12:22
-	64	(((primary adj network\$2) and ((secondary redundant) adj network\$2)) not ((primary adj network\$2) and (redundant adj network\$2))) and (backup redundant)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/13 12:22
-	1	6370654.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 20:27
-	0	6370654.pn. and address\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 20:27
-	47	(primary adj network\$2) and ((redundant backup) adj network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 20:51
-	32	((primary adj network\$2) and ((redundant backup) adj network\$2)) and address\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 21:40
-	1613	709/238,239,240,242,243,244.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 21:52
-	1547	709/238,239,240,242,243,244,245.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 21:52

-	111	709/238,239,240,242,243,244.245.ccls. and (address adj table\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 21:56
-	16	(709/238,239,240,242,243,244.245.ccls. and (address adj table\$2)) and ((primary redundant backup) near5 network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:41
-	183	709/251.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 08:50
-	1300	370/221-228.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:09
-	1470	709/251.ccls. 370/221-228.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:10
-	2958	709/238,239,240,242,243,244.245.ccls. (709/251.ccls. 370/221-228.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:10
-	0	(709/238,239,240,242,243,244.245.ccls. (709/251.ccls. 370/221-228.ccls.)) and (address\$2 near3 table\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:11
-	396	(709/238,239,240,242,243,244.245.ccls. (709/251.ccls. 370/221-228.ccls.)) and (address\$2 near3 table\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:11
-	83	((709/238,239,240,242,243,244.245.ccls. (709/251.ccls. 370/221-228.ccls.)) and (address\$2 near3 table\$2) ) and (arp iparp ip-arp (address adj resolution adj protocol))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:51
-	16	((((709/238,239,240,242,243,244.245.ccls. (709/251.ccls. 370/221-228.ccls.)) and (address\$2 near3 table\$2) ) and (arp iparp ip-arp (address adj resolution adj protocol))) and ((primary main redundant backup) near3 network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:22
-	380	((709/238,239,240,242,243,244.245.ccls. (709/251.ccls. 370/221-228.ccls.)) and (address\$2 near3 table\$2) ) not ((709/238,239,240,242,243,244.245.ccls. and (address adj table\$2)) and ((primary redundant backup) near5 network\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:25
-	11	(((((709/238,239,240,242,243,244.245.ccls. (709/251.ccls. 370/221-228.ccls.)) and (address\$2 near3 table\$2) ) and (arp iparp ip-arp (address adj resolution adj protocol))) and ((primary main redundant backup) near3 network\$2)) not ((709/238,239,240,242,243,244.245.ccls. and (address adj table\$2)) and ((primary redundant backup) near5 network\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:26
-	39692	plurality near5 network\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:50
-	830	(plurality near5 network\$2) and (address\$2 adj table\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:51
-	127	((plurality near5 network\$2) and (address\$2 adj table\$2)) and (arp iparp ip-arp (address adj resolution adj protocol))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:42
-	28	((((plurality near5 network\$2) and (address\$2 adj table\$2)) and (arp iparp ip-arp (address adj resolution adj protocol))) and (backup redundant)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/15 23:52

-	1	6389031.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 00:53
-	0	6389031.pn. and arp	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:14
-	2	("6378029" "6389030" "6173312" "6356622" "6408000" "5751574" "6397260"). and (arp iparp ip-arp (address adj resolution adj protocol))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:16
-	6	((((709/238,239,240,242,243,244,245.ccls. (709/251.ccls. 370/221-228.ccls.)) and (address\$2 near3 table\$2) ) and (arp iparp ip-arp (address adj resolution adj protocol))) and ((primary main redundant backup) near3 network\$2)) and (arp iparp ip-arp (address adj resolution adj protocol)) and intermediate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:30
-	1	5490250.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:30
-	1	5490250.pn. and intermediate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:31
-	0	5490252.pn. and intermediate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:31
-	14	(709/238,239,240,242,243,244,245.ccls. and (address adj table\$2)) and (arp iparp ip-arp (address adj resolution adj protocol)) and intermediate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 01:42
-	0	("6378029" "6389030" "6173312" "6356622" "6408000" "5751574" "6397260"). and (arp iparp ip-arp (address adj resolution adj protocol)) and intermediate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 02:28
-	7	("6378029" "6389030" "6173312" "6356622" "6408000" "5751574" "6397260").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 02:28
-	1	6370654.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2002/12/16 02:28
-	6751	((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:35
-	1904	((((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 08:53
-	1204	(((((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2)) and (primary secondary))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 08:53
-	495	(((((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2)) and (primary secondary)) and (network\$2 near5 fail\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 09:10
-	11725	(((((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2)) ((primary secondary redundant) near5 network\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:31

-	533	(((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2)) and ((primary secondary redundant) near5 network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 13:39
-	10	(((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2)) and ((primary secondary redundant) near5 network\$2)) and (non-fault ('not' near4 fault))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:31
-	101	(((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and (non-fault ('not' near4 fault))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:31
-	11731	(((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and (non-fault ('not' near4 fault)) ((primary secondary redundant backup back-up (back near3 up)) near5 network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:33
-	13	(((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and (non-fault ('not' near4 fault)) and ((primary secondary redundant backup back-up (back near3 up)) near5 network\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:33
-	3	(((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and (non-fault ('not' near4 fault)) and ((primary secondary redundant backup back-up (back near3 up)) near5 network\$2)) not (((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2)) and ((primary secondary redundant) near5 network\$2)) and (non-fault ('not' near4 fault))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:33
-	83	('not' none) near3 ((fault near3 tolerant) (fault-tolerant)) (non-fault near3 tolerant)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:59
-	1	6308282.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:51
-	1	6370654.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 10:58
-	1	6370654.pn. and (non near3 fault-tolerant)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:00
-	51	non near3 fault-tolerant	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:04
-	82	non-fault near3 tolerant	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:04
-	196	non near3 fault near3 tolerant	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:05
-	51	(non 'not') near3 fault-tolerant	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:05
-	51	(non "not") near3 fault-tolerant	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:05
-	196	(non 'not') near3 fault near3 tolerant	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:06

-	198	non-fault near3 tolerant) (non near3 fault near3 tolerant) ((non 'not') near3 fault-tolerant) ((non "not") near3 fault-tolerant) ((non 'not') near3 fault near3 tolerant	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:06
-	158	((non-fault near3 tolerant) (non near3 fault near3 tolerant) ((non 'not') near3 fault-tolerant) ((non "not") near3 fault-tolerant) ((non 'not') near3 fault near3 tolerant)) and address\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/12 11:07
-	520	((((fault near3 tolerant) (fault-tolerant) (non-fault near3 tolerant))) and ((multiple plurality many) near5 network\$2)) and ((primary secondary redundant) near5 network\$2)) not (((non-fault near3 tolerant) (non near3 fault near3 tolerant) ((non 'not') near3 fault-tolerant) ((non "not") near3 fault-tolerant) ((non 'not') near3 fault near3 tolerant)) and address\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 09:44
-	19387	network near3 address\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 09:45
-	7946	(network near3 address\$3) and (stor\$5 near7 (address\$3 mac))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 09:48
-	1523	((network near3 address\$3) and (stor\$5 near7 (address\$3 mac))) and (primary and (secondary backup back-up (back near2 up) redundant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 09:49
-	66	(((network near3 address\$3) and (stor\$5 near7 (address\$3 mac))) and (primary and (secondary backup back-up (back near2 up) redundant))) and ((primary and (secondary backup back-up (back near2 up) redundant)) near5 (bus\$2 link\$4 network\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 13:08
-	1835	709/248-251.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 13:08
-	242	709/248-251.ccls. and ((secondary primary backup back-up redundant) near5 (network\$2 bus\$3))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 14:32
-	2569	((determin\$4 collect\$4 stor\$4) same ((network near3 address\$2) (mac (ip near3 address\$2)))) and (rout\$4 near3 table\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 14:36
-	1667	(((determin\$4 collect\$4 stor\$4) same ((network near3 address\$2) (mac (ip near3 address\$2)))) and (rout\$4 near3 table\$2)) and (network near5 interface\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 17:12
-	148	(((determin\$4 collect\$4 stor\$4) same ((network near3 address\$2) (mac (ip near3 address\$2)))) and (rout\$4 near3 table\$2)) and (network near5 interface\$2)) and ((fault near3 tolerant) (fault-tolerant))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/13 15:15
-	47	(((determin\$4 collect\$4 stor\$4) same ((network near3 address\$2) (mac (ip near3 address\$2)))) and (rout\$4 near3 table\$2)) and (network near5 interface\$2)) and ((primary and (secondary backup back-up redundant (back near2 up))) near5 (network\$4 link\$4 bus\$2 line\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/15 09:04
-	1	6392990.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/15 09:04
-	0	6392990.pn. and broadcast	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/14 15:48

-	1	6392990.pn. and broadcast\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/14 15:48
-	1	6392990.pn. and (table\$2 rout\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/15 09:05
-	1	(6392990.pn. and (table\$2 rout\$4)) and address\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/05/15 09:05
-	1	((6392990.pn. and (table\$2 rout\$4)) and address\$2) and (arp cache\$2)	USPAT	2003/05/15 10:42
-	1	((6392990.pn. and (table\$2 rout\$4)) and address\$2) and hub\$2	USPAT	2003/05/15 11:35
-	1	((6392990.pn. and (table\$2 rout\$4)) and address\$2) and (primary redundant)	USPAT	2003/05/15 11:35